




# NORMALIZADOS


Av. Rodolfo Lopez 1684 Quilmes (1879) Pcia. Bs. As.  
Tel/Fax: 011-4200-1313 / 4250-6754  
4253-0126 / 4254-1171 / 4254-1246  
info@alcenor.com  
www.alcenor.com

**Tubo Cuadrado Extruido**




CODIGO	KG/TIRA	A	e
TC101	0,955	12,7	1,25
TC015	1,147	15	1,25
* TC15X1.2	1,222	15,9	1,25
TC263	1,336	19	1,1
* TC20X1.2	1,564	20	1,25
TC025	2,353	25	1,5
TC029	1,784	25,4	1,1
* TC25X1.5	2,393	25,4	1,5
TC224	3,124	25,4	2
TC030	2,399	30	1,25
* TC30X1.5	2,853	30	1,5
* TC038	3,654	38	1,5
TC760	5,924	38	2,5
* TC40X1.5	3,854	40	1,5
* TC45X1.5	4,355	45	1,5
TC461	5,310	46	1,8
* TC50X1.5	4,856	50	1,5
TC050	6,407	50	2
TC051	9,411	50	3
* TC60X1.5	5,857	60	1,5
TC601	7,945	76	1,6
TC085	21,625	85	4

**Tubo Rectangular Extruido**




CODIGO	KG/TIRA	A	B	e	R	r
TCR100X80X10	53.341	100	80	10	2	0.5
TCR127X102X7.1	50.472	127	102	7.1	6.3	3.2
TCR127X102X9.5	62.746	127	102	9.5	18.9	9.5
TCR140X140X6	53.649	140	140	6	1	0.3
TCR180X80X12	94.510	180	80	12		

**Perfil "L" Alas desiguales Extruido**



CODIGO	KG/TIRA	A	B	e
NL867	0,756	19	12,7	1,5
NL865	0,713	20	10	1,5
* LD25X15X1.5	0,964	25	15	1,5
* LD25X18X3	2,002	25	18	3
NL852	1,205	25,4	12,7	2
NL864	1,039	29	14	1,5
NL033	1,089	30	15	1,5
NL853	1,435	30	15	2
NL854	1,981	30	20	2,5
NL775	1,273	35	25	1,3
* LD38X8X1	0,751	38	8	1
* LD38X25X1.5	1,539	38	25	1,5
* LD40X20X1.5	1,464	40	20	1,5
* LD50X25X1.5	1,840	50	25	1,5
NL856	3,664	50,8	25,4	3
NL851	2,897	50,8	38	2
* LD60X12X1.5	1,765	60	12	1,5
* LD80X20X2	3,270	80	20	2
* LD100X20X2	3,938	100	20	2
NL862	4,939	100	50	2

**Perfil "T" Extruido**




CODIGO	KG/TIRA	A	B	e
NT914	0.781	12.7	12.7	2
* T19X2	1.201	19	19	2
* T25X1.5	1.214	25	25	1.5
NT025	0.831	25	25	1
NT903	1.234	25.4	25.4	1.5
NT904	1.629	25.4	25.4	2
NT913	1.552	31.75	31.75	1.5
* T38X1.5	1.865	38	38	1.5
NT908	2.470	38	38	2
NT909	3.654	38	38	3
NT910	3.324	50.8	50.8	2


Largo: 6000mm

\* EN STOCK PERMANENTE

Perfil  
Planchuela  
Extruido



Perfil "L"  
Alas iguales  
Extruido




CODIGO	KG/TIRA	A	e
NP501	0.636	12.7	3
PCH12X4	0.848	12.7	4
NP503	1.060	12.7	5
NP504	0.434	13	2
NP505	0.531	15.9	2
NP506	0.796	15.9	3
NP507	1.061	15.9	4
NP509	2.520	15.9	9.5
* PCH16X3	0.801	16	3
PCH16X4	1.068	16	4
* PCH17X1.5	0.567	17	2
NP019	0.636	19.05	2
NP510	0.951	19	3
* PCH19X3	1.268	19	4
NP512	1.268	19	4c/r
* PCH19X4r	1.585	19	5
NP513	1.268	19	4c/r
NP514	0.634	19	2
NP516	0.556	22.2	1.5
NP026	0.834	25	2
* PCH25X2	0.834	25	2
NP520	1.271	25.4	3
NP521	1.695	25.4	4
NP522	2.119	25.4	5
NP523	2.691	25.4	6.35
NP524	4.238	25.4	10
NP030	1.251	30	2.5
NP529	2.119	31.75	4
NP530	2.649	31.75	5
NP531	2.649	31.75	5
* PCH32X2.5	1.335	32	2.5
NP032	1.068	32	2
NP033	1.602	32	3
* PCH32X8	4.272	32	8
NP534	2.329	34.9	4
PCH38X2	1.268	38	2
NP039	1.907	38.1	3
NP537	2.543	38.1	4
NP538	3.179	38.1	5
NP539	3.814	38.1	6
NP540	6.357	38.1	10
NP045	1.877	45	2.5
* PCH50X1.7	1.418	50	1.7
PCH50X2	1.669	50	2
NP051	1.835	50	2.2
NP052	2.503	50	3
NP567	1.695	50.8	2
NP546	2.543	50.8	3
NP547	3.391	50.8	4
NP548	4.238	50.8	5
NP550	8.476	50.8	10
NP552	16.953	50.8	20
NP553	21.530	50.8	25.4
NP060	10.012	60	10
NP061	20.023	60	20
PCH62X12	12.414	62	12
NP001	6.675	63	6.35
NP555	4.238	63.5	4
NP557	63.574	635	6
NP560	6.357	76.2	5
NP561	32.295	76.2	25.4
NP562	13.249	79.4	10
NP614	2.670	80	2
PCH90X10	15.017	90	10
NP563	8.476	101.6	5
NP101	13.562	101.6	8
NP565	16.853	101	10
NP566	21.530	101.6	12.7
PCH110X8	14.684	110	8

CODIGO	KG/TIRA	A	e
L12x1.2	0.485	12.7	1.2
NL012	0.598	12.7	1.5
L15x1.2	0.577	15	1.2
* L15x1.5	0.713	15	1.5
L19x1.5	0.914	19	1.5
NL807	1.201	19	2
L19.05X3	1.757	19.05	3
L19.5X1.5	0.939	19.5	1.5
* L20X1.2	0.777	20	1.2
L20X1.5	0.964	20	1.5
NL020	1.025	20	1.6
NL809	1.268	20	2
* L22X1.5	1.064	22	1.5
L25X2	1.602	25	2
NL027	2.353	25	3
* L25X1	0.831	25.4	1
NL026	0.993	25.4	1.2
L25X1.25	1.033	25.4	1.25
* L25X1.5	1.234	25.4	1.5
NL811	1.629	25.4	2
NL812	2.393	25.4	3
NL831	1.552	31.75	1.5
NLE31	3.971	31.75	4
L32X1.3	1.360	32	1.3
* L32X1.5	1.564	32	1.5
NL814	2.069	32	2
L38X1.5	1.865	38	1.5
NL039	2.470	38	2
* L38X3	3.654	38	3
NL036	4.806	38	4
NL038	7.008	38	6
* L50X1.5	2.465	50	1.5
* L50X3	4.856	50	3
* L50X4	6.407	50	4
NL823	3.324	50.8	2
NL824	4.936	50.8	3
NL830	6.514	50.8	4
NL826	8.059	50.8	5
NLE112	5.569	112	1.5


Largo: 6000mm

\* EN STOCK PERMANENTE

**Tubo Redondo Extruido**



**Macizo Redondo Extruido**




CODIGO	KG/TIRA	A	B	e
TR246	0.814	9.5	5.3	2.1
TR241	2.515	19	13	3
* TR19X1.2	1.541	19	15.6	1.7
TR013	1.379	19.05	16.05	1.5
TR061	1.079	19.05	16.75	1.15
* TR22X1.3	1.410	22	19.4	1.3
TR015	1.628	22.22	19.22	1.5
TR257	1.270	22.22	19.92	1.15
TR255	1.112	22.22	20.22	1
TR25X1.5	1.847	25	22	1.5
TR258	2.452	25.4	21.4	2
TR254	2.452	25.4	21.4	2
TR25X3	1.461	25.4	23.1	1.15
TR502	3.442	31.45	26.95	2.25
TR32X3	4.558	32	26	3
TR017	2.554	34	31	1.5
TR034	1.608	35	33.2	0.9
* TR38X1.5	2.869	38	35	1.5
TR020	4.836	38.1	32.9	2.6
TR008	6.444	44	38	3
TR021	10.265	48.3	39.36	4.47
TR019	6.301	48.36	43.1	2.63
* TR50X1.5	3.875	50.8	47.8	1.5
TR227	5.533	54.8	50.8	2
TR60X1.5	4.598	60	57	1.5
TR014	4.423	61.7	58.9	1.4
TR209	9.431	63	57	3
TR501	6.444	63.5	59.5	2
TR005	5.383	70	67	1.5
TR108	4.856	70	67.3	1.35
TR212	7.754	76	72	2
* TR76X1.5	5.855	76	73	1.5
TR007	8.173	80	76	2
TR500	10.282	81	76	2.5
TR010	13.360	88	82	3
TR004	6.877	89	86	1.5
TR009	13.675	90	84	3
TR214	12.399	101	96.2	2.4
TR251	7.593	101.4	98.5	1.45
TR018	39.233	101.6	85.6	8
TR031	9.412	101.6	98	1.8
TR003	7.867	101.6	98.6	1.5
TR011	20.263	114	107	3.5
TR127X1.5	9.863	127	124	1.5
TR127X2X5000	10.598	127	123	2
TR127X2	13.099	127	123	2
TR001	13.423	152.4	149	1.7
TR203	20.039	203.2	199.4	1.9

5000mm


CODIGO	KG/TIRA	A
MZR25	8.187	25
MZR30	11.789	30
MZR40	20.958	40

**Tubo Cuadrado Trefilado**



CODIGO	KG/TIRA	A	e
* TF10X10	0.420	9.7	0.7
* TF12X12	0.561	12.7	0.7
TF19X19	0.855	19	0.7
TF25X25	1.135	25	0.7

**Tubo Redondo Trefilado**



CODIGO	KG/TIRA	A	e
TFR9.52X0.8	0.366	9.52	0.8


Largo: 6000mm

\* EN STOCK PERMANENTE


Hoja: N° 4

Tolerancia: ±10%

### Tubo Cuadrado Extruido




### Tubo Cuadrado Extruido



CODIGO	KG/TIRA	A	B	e	
* TC30X12X1.5	1,952	30	12	1,5	
TC031	2,353	30	20	1,5	
TC138	3,003	38	25	1,5	
* TC40X20X1.4	2,672	40	20	1,4	
TC140	2,853	40	20	1,5	
TO0349	3,135	44,5	25,4	1,4	
TC151	3,104	50	15	1,5	
TC152	6,407	50	20	3	
TC025	3,024	50	25	1,25	
* TC50X25X1.4	3,373	50	25	1,4	
TC50x25x1.5	2,900	50	25	1,5	5000mm
TC50x25x1.5	3,490	50	25	1,5	6020mm
TC150	3,604	50	25	1,5	
TC50X25X1.8	4,289	50	25	1,8	
TC50X38X2.5	5,475	50	38	2,5	5000mm
TC50X38X2.5	6,592	50	38	2,5	6020mm
TC160	3,854	60	20	1,5	
* TC60X20X1.7	4,346	60	20	1,7	
TC667	5,073	60	20	2	
TC161	4,105	60	25	1,5	
* TC60X30X1.5	4,355	60	30	1,5	
TC60X30X1.5	4,750	60	30	1,5	6200mm
TC60X35X2.5	7,497	60	35	2,5	6150mm
TC70X40X1.5	5,356	70	40	1,5	
TC171	10,412	70	40	3	
* TC75x25x1.5	4,856	75	25	1,5	
TC75x25x1.5	5,169	75	25	1,6	6200mm
TC666	6,407	75	25	2	
TC75X50X1.5	6,107	75	50	1,5	
TC793	7,292	75	50	1,8	
TC761	19,189	75	50	5	
TC796	5,222	76	25	1,6	
* TC80X40X1.5	5,857	80	40	1,5	
TC80X50X1.5	6,357	80	50	1,5	
* TC90X40X1.8	7,593	90	40	1,8	
TC297	8,410	90	40	2	
TC762	21,842	90	40	5,5	
TC100X20X1.7	6,615	100	20	1,7	
TC100X25X2.5	8,800	100	25	2,5	5500mm
TC100X25X2.5	9,920	100	25	2,5	6200mm
* TC100X40X1.8	8,193	100	40	1,8	
TC100	8,494	100	45	1,8	
TC100x45x2	9,411	100	45	2	6200mm
TO1036	7,163	101,6	44,5	1,5	
TC115	10,746	115	50	2	
TC125X50X2	11,413	125	50	2	
TC153	16,269	150	50	2,5	

CODIGO	KG/TIRA	A	B	e	Interior	
U11X19X1.5	1,151	11	19	1,5	8	
* U12X1.5	0,879	12,7	12,7	1,5	9,7	
NU018	1,036	12,7	18	1,35	10	
* U13X25X1.2	1,213	13	25	1,2	10,6	
* U14X40X1.5	2,278	14	40	1,5	11	
NU025	1,385	14,2	25	1,35	11,5	
NU040	2,016	14,2	39	1,35	11,5	
* U15X25X1.5	1,552	15	25	1,5	12	
NU751	1,593	15	28	1,4	12,2	
* U15X28X1.5	1,702	15	28	1,5	12	
NU230	1,119	15,9	15,9	1,5	12,9	
* U18X25X1.5	1,627	18	25	1,5	15	
NU084	1,352	19	19	1,5	16	
U20X10X1.2	0,782	20	10	1,25	17,5	
* U20X20X2	1,869	20	20	2	16	
* U21X12	0,918	20,9	12	1,3	18,3	
U25X13X1	0,818	25	13	1	23	
U25X16X1.3	1,180	25	16	1,3	22,4	
* U25X1.5	1,802	25	25	1,5	22	
NU249	1,952	29	26	1,5	26	
U30x16x2	1,352	30	16	2	26	5200mm
U30x16x2	1,612	30	16	2	26	6200mm
NU067	1,627	34	17	1,5	31	
* U50X18X1.5	2,077	50	18	1,5	47	
NU340	2,002	60	11,5	1,5	57	
NU558	3,454	101	20	1,5	98	

### Tubo Cuadrado Extruido



CODIGO	KG/TIRA	A
MZC8	1.0679	8

Largo: 6000mm

\* EN STOCK PERMANENTE

Tolerancia: ±10%